



1/12

Fig. 1



2/12

Fig. 2



FIRST PATTERN

 $!(x\%2) \&\& !(y\%2)$

	0	1	2	3	4	5
0	R		R		R	
1						
2	R		R		R	
3						

SECOND PATTERN

 $(x\%2) \&\& !(y\%2)$

		G				
		G		G		

THIRD PATTERN

 $!(x\%2) \&\& (y\%2)$

	G					
			G			
	G			G		

FOURTH PATTERN


 $(x\%2) \&\& (y\%2)$

		B				
		B		B		

Fig. 3


R(0, 0)	G(1, 0)	R(2, 0)	G(3, 0)	R(4, 0)	
G(0, 1)	B(1, 1)	G(2, 1)	B(3, 1)	G(4, 1)	
R(0, 2)	G(1, 2)	R(2, 2)	G(3, 2)	R(4, 2)	
G(0, 3)	B(1, 3)	G(2, 3)	B(3, 3)	G(4, 3)	
R(0, 4)	G(1, 4)	R(2, 4)	G(3, 4)	R(4, 4)	

Fig. 4



4/12

Fig. 5



5/12

Fig. 6

R(0, 0) g	G(1, 0) r, b	R(2, 0) g	G(3, 0) r, b	R(4, 0) g	
G(0, 1) r, b	B(1, 1) g	G(2, 1) r, b	B(3, 1) g	G(4, 1) r, b	
R(0, 2) g	G(1, 2) r, b	R(2, 2) g	G(3, 2) r, b	R(4, 2) g	
G(0, 3) r, b	B(1, 3) g	G(2, 3) r, b	B(3, 3) g	G(4, 3) r, b	
R(0, 4) g	G(1, 4) r, b	R(2, 4) g	G(3, 4) r, b	R(4, 4) g	

204470-STEELH001

Fig. 7A




Fig. 7B




Fig. 8






Fig. 9




10/12

Fig. 10



11/12

Fig. 11



12/12

Fig. 12

